

# THE UNITED STATES OF AMERICA

**TO ALL TO WHOM THESE PRESENTS SHALL COME:**

**UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office**

January 22, 2003

**THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY OF  
THE BELOW IDENTIFIED INTERNATIONAL APPLICATION AS  
ORIGINALLY FILED AND ANY CORRECTIONS THERETO FROM THE  
RECORDS OF THE UNITED STATES PATENT AND TRADEMARK  
OFFICE ACTING AS A RECEIVING OFFICE UNDER THE PATENT  
COOPERATION TREATY.**

**APPLICATION NUMBER: *PCT/US98/05615*  
FILING DATE: *March 23, 1998***

**By Authority of the  
COMMISSIONER OF PATENTS AND TRADEMARKS**



*W. Montgomery*  
**W. MONTGOMERY**  
Certifying Officer

True  
Copy

PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

PCT/US 98 / 05615 International Application No.
International Filing Date (23.03.98) 23 MAR 1998
PCT INTERNATIONAL APPLICATION RO/US Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference (if desired) (12 characters maximum) ACY33350-00

<b>Box No. I TITLE OF INVENTION</b> FUNGICIDAL TRIFLUOROMETHYLALKYLAMINO-TRIAZOLOPYRIMIDINES	
<b>Box No. II APPLICANT</b>	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.) AMERICAN CYANAMID COMPANY Five Giralda Farms Madison, New Jersey 07940 United States of America	<input type="checkbox"/> This person is also inventor.  Telephone No. (973) 683-2150  Facsimile No. (973) 683-4109  Teleprinter No.
State (i.e. country) of nationality: UNITED STATES OF AMERICA	State (i.e. country) of residence: UNITED STATES OF AMERICA
This person is applicant for the purposes of: <input checked="" type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
<b>Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)</b>	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.) PEES, Klaus-Juergen Soonwaldstrasse 9 D-55129 Mainz Germany	This person is: <input type="checkbox"/> applicant only <input type="checkbox"/> applicant and inventor <input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:	State (i.e. country) of residence:
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
<input checked="" type="checkbox"/> Further applicants and/or (further) inventors are indicated on a continuation sheet.	
<b>Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE</b>	
The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: <input checked="" type="checkbox"/> agent <input type="checkbox"/> common representative	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) MAZZARESE, Joseph M. AMERICAN HOME PRODUCTS CORPORATION Patent Law Department - 2B2 One Campus Drive Parsippany, New Jersey 07054 United States of America	Telephone No. (973) 683-2150  Facsimile No. (973) 683-4109  Teleprinter No.
<input type="checkbox"/> Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.	

## Continuation of Box No. III FURTHER APPLICANTS AND/OR (FURTHER) INVENTORS

*If none of the following sub-boxes is used, this sheet is not to be included in the request.*

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

KRUMMEL, Guenter  
Raiffeisenstrasse 13  
D-55578 Vendersheim  
Germany

This person is:

- ☐ applicant only  
☐ applicant and inventor  
☒ inventor only (If this check-box is marked, do not fill in below.)

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

COTTER, Henry Van Tuyt  
Eisenacherstrasse 49  
D-55218 Ingelheim  
Germany

This person is:

- ☐ applicant only  
☐ applicant and inventor  
☒ inventor only (If this check-box is marked, do not fill in below.)

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

REHNIG, Annerose  
Rathenaustrasse 11  
D-55218 Ingelheim  
Germany

This person is:

- ☐ applicant only  
☐ applicant and inventor  
☒ inventor only (If this check-box is marked, do not fill in below.)

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

MAY, Leslie  
Peter-Bischof-Strasse 2A  
D-55435 Gau-Algesheim  
Germany

This person is:

- ☐ applicant only  
☐ applicant and inventor  
☒ inventor only (If this check-box is marked, do not fill in below.)

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

**Continuation of Box No. III FURTHER APPLICANTS AND/OR (FURTHER) INVENTORS**

*If none of the following sub-boxes is used, this sheet is not to be included in the request.*

<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)</p> <p>PFRENGLE, Waldemar Junkermuehle 1 D-55444 Seibersbach Germany</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
---	--

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)</p> <p>ALBERT, Guido Volxheimer Strasse 4 D-55546 Hackenheim Germany</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
---	--

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
--	---

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
--	---

State (i.e. country) of nationality:

State (i.e. country) of residence:

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

**Box No.V DESIGNATION OF STATES**

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):

**Regional Patent**

- ☒ **AP ARIPO Patent:** GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- ☒ **EA Eurasian Patent:** AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- ☒ **EP European Patent:** AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- ☒ **OA OAPI Patent:** BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line) .....

**National Patent (if other kind of protection or treatment desired, specify on dotted line):**

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> AL Albania .....                               | <input checked="" type="checkbox"/> LT Lithuania .....                                 |
| <input checked="" type="checkbox"/> AM Armenia .....                               | <input checked="" type="checkbox"/> LU Luxembourg .....                                |
| <input checked="" type="checkbox"/> AT Austria .....                               | <input checked="" type="checkbox"/> LV Latvia .....                                    |
| <input checked="" type="checkbox"/> AU Australia .....                             | <input checked="" type="checkbox"/> MD Republic of Moldova .....                       |
| <input checked="" type="checkbox"/> AZ Azerbaijan .....                            | <input checked="" type="checkbox"/> MG Madagascar .....                                |
| <input checked="" type="checkbox"/> BA Bosnia and Herzegovina .....                | <input checked="" type="checkbox"/> MK The former Yugoslav Republic of Macedonia ..... |
| <input checked="" type="checkbox"/> BB Barbados .....                              |  |
| <input checked="" type="checkbox"/> BG Bulgaria .....                              | <input checked="" type="checkbox"/> MN Mongolia .....                                  |
| <input checked="" type="checkbox"/> BR Brazil .....                                | <input checked="" type="checkbox"/> MW Malawi .....                                    |
| <input checked="" type="checkbox"/> BY Belarus .....                               | <input checked="" type="checkbox"/> MX Mexico .....                                    |
| <input checked="" type="checkbox"/> CA Canada .....                                | <input checked="" type="checkbox"/> NO Norway .....                                    |
| <input checked="" type="checkbox"/> CH and LI Switzerland and Liechtenstein .....  | <input checked="" type="checkbox"/> NZ New Zealand .....                               |
| <input checked="" type="checkbox"/> CN China .....                                 | <input checked="" type="checkbox"/> PL Poland .....                                    |
| <input checked="" type="checkbox"/> CU Cuba .....                                  | <input checked="" type="checkbox"/> PT Portugal .....                                  |
| <input checked="" type="checkbox"/> CZ Czech Republic .....                        | <input checked="" type="checkbox"/> RO Romania .....                                   |
| <input checked="" type="checkbox"/> DE Germany .....                               | <input checked="" type="checkbox"/> RU Russian Federation .....                        |
| <input checked="" type="checkbox"/> DK Denmark .....                               | <input checked="" type="checkbox"/> SD Sudan .....                                     |
| <input checked="" type="checkbox"/> EE Estonia .....                               | <input checked="" type="checkbox"/> SE Sweden .....                                    |
| <input checked="" type="checkbox"/> ES Spain .....                                 | <input checked="" type="checkbox"/> SG Singapore .....                                 |
| <input checked="" type="checkbox"/> FI Finland .....                               | <input checked="" type="checkbox"/> SI Slovenia .....                                  |
| <input checked="" type="checkbox"/> GB United Kingdom .....                        | <input checked="" type="checkbox"/> SK Slovakia .....                                  |
| <input checked="" type="checkbox"/> GE Georgia .....                               | <input checked="" type="checkbox"/> SL Sierra Leone .....                              |
| <input checked="" type="checkbox"/> GH Ghana .....                                 | <input checked="" type="checkbox"/> TJ Tajikistan .....                                |
| <input checked="" type="checkbox"/> GM Gambia .....                                | <input checked="" type="checkbox"/> TM Turkmenistan .....                              |
| <input checked="" type="checkbox"/> GW Guinea-Bissau .....                         | <input checked="" type="checkbox"/> TR Turkey .....                                    |
| <input checked="" type="checkbox"/> HU Hungary .....                               | <input checked="" type="checkbox"/> TT Trinidad and Tobago .....                       |
| <input checked="" type="checkbox"/> ID Indonesia .....                             | <input checked="" type="checkbox"/> UA Ukraine .....                                   |
| <input checked="" type="checkbox"/> IL Israel .....                                | <input checked="" type="checkbox"/> UG Uganda .....                                    |
| <input checked="" type="checkbox"/> IS Iceland .....                               | <input type="checkbox"/> US United States of America .....                             |
| <input checked="" type="checkbox"/> JP Japan .....                                 |  |
| <input checked="" type="checkbox"/> KE Kenya .....                                 | <input checked="" type="checkbox"/> UZ Uzbekistan .....                                |
| <input checked="" type="checkbox"/> KG Kyrgyzstan .....                            | <input checked="" type="checkbox"/> VN Viet Nam .....                                  |
| <input checked="" type="checkbox"/> KP Democratic People's Republic of Korea ..... | <input checked="" type="checkbox"/> YU Yugoslavia .....                                |
|  | <input checked="" type="checkbox"/> ZW Zimbabwe .....                                  |
| <input checked="" type="checkbox"/> KR Republic of Korea .....                     |  |
| <input checked="" type="checkbox"/> KZ Kazakhstan .....                            |  |
| <input checked="" type="checkbox"/> LC Saint Lucia .....                           |  |
| <input checked="" type="checkbox"/> LK Sri Lanka .....                             |  |
| <input checked="" type="checkbox"/> LR Liberia .....                               |  |
| <input checked="" type="checkbox"/> LS Lesotho .....                               |  |

Check-boxes reserved for designating States (for the purposes of a national patent) which have become party to the PCT after issuance of this sheet:

- ☐ .....
- ☐ .....
- ☐ .....

In addition to the designations made above, the applicant also makes under Rule 4.9(b) all designations which would be permitted under the PCT except the designation(s) of ..... the applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time

**Supplemental Box** *If the Supplemental Box is not used, this sheet need not be included in the request.*

*Use this box in the following cases:*

**1. If, in any of the Boxes, the space is insufficient to furnish all the information:**

*in particular:*

(i) *if more than two persons are involved as applicants and/or inventors and no "continuation sheet" is available:*

*in such case, write "Continuation of Box No. ..." [indicate the number of the Box] and furnish the information in the same manner as required according to the captions of the Box in which the space was insufficient;*

(ii) *if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked:*

*in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below;*

(iii) *if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America:*

*in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;*

(iv) *if, in addition to the agent(s) indicated in Box No. IV, there are further agents:*

*in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV;*

(v) *if, in Box No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition," or if, in Box No. V, the name of the United States of America is accompanied by an indication "Continuation" or "Continuation-in-part":*

*in such case, write "Continuation of Box No. V" and the name of each State involved (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;*

(vi) *if there are more than three earlier applications whose priority is claimed:*

*in such case, write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI.*

**2. If the applicant claims, in respect of any designated Office, the benefits of provisions of the national law concerning non-prejudicial disclosures or exceptions to**

*in such case, write "Statement Concerning Non-Prejudicial Disclosures or Exceptions to Lack of Novelty" and furnish that statement below.*


**CONTINUATION OF BOX IV:**

COSTELLO, Charles F.; HILL, Gregory M.;  
HOGAN, John W.; RENDA, Barbara  
AMERICAN HOME PRODUCTS CORPORATION  
Patent Law Department - 2B2  
One Campus Drive  
Parsippany, New Jersey 07054  
United States of America

Telephone: (973) 683-2150  
Facsimile: (973) 683-4109

CONNELLY, Michael J.; MANNION, Sally K.;  
TALBOTT, Dawn J.; WALTERS, Philip Bernard Williams;  
WILEMAN, David F.  
WYETH LABORATORIES  
Huntercombe Lane South  
Taplow, Maidenhead  
Berkshire SL6 0PH, England

Telephone: (0628) 604377  
Facsimile: (0628) 799098

<b>Box No. VI PRIORITY CLAIM</b>		Further priority claims are indicated in the Supplemental Box <input type="checkbox"/>	
The priority of the following earlier application(s) is hereby claimed:			
Country (in which, or for which, the application was filed)	Filing Date (day/month/year)	Application No.	Office of filing (only for regional or international application)
item (1) US	14 April 1997 ( 14-04-97 )	08/843,323	
item (2)	(       )		
item (3)	(       )		
Mark the following check-box if the certified copy of the earlier application is to be issued by the Office which for the purposes of the present international application is the receiving Office (a fee may be required):			
<input checked="" type="checkbox"/> The receiving Office is hereby requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) identified above as item(s): <u>1</u>			
<b>Box No. VII INTERNATIONAL SEARCHING AUTHORITY</b>			
Choice of International Searching Authority (ISA) (If two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used): <u>ISA/ EP</u>			
Earlier search Fill in where a search (international, international-type or other) by the International Searching Authority has already been out or requested and the Authority is now requested to base the international search, to the extent possible, on the results of that earlier search. such search or request either by reference to the relevant application (or the translation thereof) or by reference to the search request: Country (or regional Office):                      Date (day/month/year):                      Number:			
<b>Box No. VIII CHECK LIST</b>			
This international application contains the following number of sheets: 1. request : 6 sheets 2. description : 30 sheets 3. claims : 6 sheets 4. abstract : 1 sheets 5. drawings : 0 sheets Total : 43 sheets		This international application is accompanied by the item(s) marked below: 1. <input type="checkbox"/> separate signed power of attorney      5. <input checked="" type="checkbox"/> fee calculation sheet 2. <input type="checkbox"/> copy of general power of attorney      6. <input type="checkbox"/> separate indications concerning deposited microorganisms 3. <input type="checkbox"/> statement explaining lack of signature      7. <input type="checkbox"/> nucleotide and/or amino acid sequence listing (diskette) 4. <input type="checkbox"/> priority document(s) identified in Box No. VI as item(s):      8. <input checked="" type="checkbox"/> other (specify): Transmittal Letter	
Figure No. _____ of the drawings (if any) should accompany the abstract when it is published.			
<b>Box No. IX SIGNATURE OF APPLICANT OR AGENT</b>			
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request). AMERICAN CYANAMID COMPANY  William H. Calnan* Chief Patent Counsel Agricultural Products Patent Law Department *Resolution enclosed showing William H. Calnan's authority to sign.			

For receiving Office use only <u>(2303.98)</u>		2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received:
1. Date of actual receipt of the purported international application: <u>04 Rec'd PCT/PTC 23 MAR 1998</u>		
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:		
4. Date of timely receipt of the required corrections under PCT Article 11(2):		
5. International Searching Authority specified by the applicant: <u>ISA/EP</u>		6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid

This sheet is not part of and does not count as a sheet of the international application.

# PCT

## FEE CALCULATION SHEET

### Annex to the Request

For receiving Office use only

International application No.

PCF/US98/056/5

Date stamp of the receiving Office

23 MAR 1998

Applicant's or agent's  
file reference

ACY33350-00

Applicant

AMERICAN CYANAMID COMPANY

#### CALCULATION OF PRESCRIBED FEES

1. TRANSMITTAL FEE

240.00

T

\$240.

2. SEARCH FEE

1,250.00

S

\$1250.

International search to be carried out by ISA/EP

(If two or more International Searching Authorities are competent in relation to the international application, indicate the name of the Authority which is chosen to carry out the international search.)

3. INTERNATIONAL FEE

#### Basic Fee

The international application contains 43 sheets.

first 30 sheets

455.00

b<sub>1</sub>

\$455.

13

x

\$10.00

=

130.00

b<sub>2</sub>

\$130.

remaining sheets additional amount

Add amounts entered at b<sub>1</sub> and b<sub>2</sub> and enter total at B

585.00

B

\$585.

#### Designation Fees

The international application contains 74 designations.

11

x

105.00

=

1,155.00

D

\$1155.

number of designation fees payable (maximum 11) amount of designation fee

Add amounts entered at B and D and enter total at I

1,740.00

I

\$1740.

(Applicants from certain States are entitled to a reduction of 75% of the international fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts entered at B and

4. FEE FOR PRIORITY DOCUMENT

12.00

P

\$15.

5. TOTAL FEES PAYABLE

Add amounts entered at T, S, I and P, and enter total in the TOTAL box

3,242.00

TOTAL

\$3245.

☐ The designation fees are not paid at this time.

#### MODE OF PAYMENT

☒ authorization to charge  
deposit account (see below)

☐ bank draft

☐ coupons

☐ cheque

☐ cash

☐ other (specify):

☐ postal money order

☐ revenue stamps

#### DEPOSIT ACCOUNT AUTHORIZATION (this mode of payment may not be available at all receiving Offices)

The RO/ US

☒

is hereby authorized to charge the total fees indicated above to my deposit account.

☒

is hereby authorized to charge any deficiency or credit any overpayment in the total fees indicated above to my deposit account.

☒

is hereby authorized to charge the fee for preparation and transmittal of the priority document to the International Bureau of WIPO to my deposit account.



PCT/US 98/05615


UNANIMOUS CONSENT  
OF THE BOARD OF DIRECTORS OF  
AMERICAN CYANAMID COMPANY


February 1, 1995


Pursuant to Section 711 of the Business Corporation Act of the State of Maine, and in lieu of a meeting of the Board of Directors, the undersigned, being all of the Directors of American Cyanamid Company, a Maine corporation, do hereby consent in writing to the following action, with the same force and effect as if taken by unanimous vote at a duly constituted meeting of the Directors of the Corporation.


RESOLVED, that for so long as William Calnan and Stanley Silverberg are employed by the Company or one of its affiliates, each such person hereby is, authorized, in the name and on behalf of American Cyanamid Company, to execute such powers of attorney and other documents, and to make such affidavits, as the person executing such documents or making such affidavits may deem to be necessary or desirable, from time to time, in connection with Letters Patent and trademark registrations, and applications for Letters Patent or trademark registrations, or in connection with any opposition, nullity, revocation, infringement or cancellation proceedings relating to Letters Patent or trademark registrations and to applications for Letters Patent or trademark registrations of other parties.


IN WITNESS WHEREOF, all of the Directors of American Cyanamid Company have signed this consent as of the 1st day of February, 1995.

  
John R. Stafford


  
Joseph J. Carl


  
Fred Hassan


  
John R. Considine

  
Gerald A. Jibilian

  
Robert G. Blount

  
Louis L. Hoynes, Jr.

  
Stanley F. Barshay

  
Thomas M. Nee


33350-00

FUNGICIDAL TRIFLUOROMETHYLALKYLAMINO-  
TRIAZOLOPYRIMIDINES

BACKGROUND OF THE INVENTION


This invention relates to certain triazolopyrimidine compounds, a process for their preparation, compositions containing such compounds, a method for combating a fungus at a locus comprising treating the locus with such compounds and their use as fungicides.

EP-A-0 071 792 claims compounds of the general formula



in which R<sup>1</sup> represents alkyl, halogen, alkoxy, cyano, cycloalkyl, aryl, aryloxy, arylthio, aralkyl, arylthio, arylalkyl, arylalkyloxy or arylalkylthio each optionally substituted by halogen or alkoxy; or (R<sup>1</sup>)<sub>n</sub> represents a benzene, indane or tetrahydronaphthalene ring fused with the phenyl ring, aromatic moieties in the above groups being optionally substituted by alkyl, alkoxy, halogen or cyano; n is 1 or 2; R<sup>2</sup> and R<sup>3</sup> are each hydrogen, alkyl or aryl, A represents a nitrogen atom or a CR<sup>4</sup> group, and R<sup>4</sup> is as R<sup>2</sup> but can also be halogen, cyano or alkoxy carbonyl or together with R<sup>3</sup> can form an alkylene chain containing up to two double bonds. The compounds are said to be active against various phytopathogenic fungi, especially those of the phycomycete class. However evidence of fungicidal activity is only provided for these compounds against *Plasmopara viticola*, a member of the oomycete class of fungi.


EP 0 550 113-A2 claims compounds of the general formula



in which R<sup>1</sup> represents an optionally substituted alkyl, alkenyl, alkadienyl, cycloalkyl, bicycloalkyl or heterocyclyl group; R<sup>2</sup> represents a hydrogen atom or an alkyl group; or R<sup>1</sup> and R<sup>2</sup> together with the interjacent nitrogen atom represent an optionally substituted heterocyclic ring; R<sup>3</sup> represents an optionally substituted aryl group; and R<sup>4</sup> represents a hydrogen or halogen atom or a group -NR<sup>5</sup>R<sup>6</sup> where R<sup>5</sup> represents a hydrogen atom or an amino, alkyl, cycloalkyl or bicycloalkyl group and R<sup>6</sup> represents a hydrogen atom or an alkyl group. Thus, compounds in which R<sup>1</sup> is a trifluoromethylalkyl group are generally embraced by this patent application. However, there is no single compound disclosed in which R<sup>1</sup> is a trifluoromethylalkyl group.

SUMMARY OF THE INVENTION

The present invention provides a compound of formula I



5 in which

R<sup>1</sup> and R<sup>2</sup> each independently represent a hydrogen atom or an optionally substituted alkyl, alkenyl, alkynyl, alkadienyl or phenyl group,

Hal represents a halogen atom,

10 L<sup>1</sup> through L<sup>5</sup> each independently represent an hydrogen or halogen atom or an alkyl, alkoxy or nitro group.

The new compounds show an excellent selective fungicidal activity in various crops.

It is an object of the present invention to provide novel, selective fungicidal compounds.


15 It is also an object of the invention to provide methods for controlling undesired fungus by contacting said plants with a fungicidally effective amount of the new compounds.

It is another object of the invention to provide selective fungicidal compositions containing the new compounds as active ingredients.

20 These and other objects and features of the invention will be more apparent from the detailed description set forth hereinbelow, and from the appended claims.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

It has surprisingly been found that the novel compounds of formula I



- 5 in which R<sup>1</sup>, R<sup>2</sup>, Hal and L<sup>1</sup> through L<sup>5</sup> have the meaning given above for formula I show an excellent fungicidal activity against a broad range of fungi.

In general terms, unless otherwise stated, as used herein the term halogen atom may denote a bromine, iodine, chlorine or fluorine atom, and is especially a bromine, chlorine or fluorine atom.

- 10 Hal represents preferably fluorine, chlorine, bromine or iodine, in particular chlorine.

Optionally substituted moieties may be unsubstituted or have from one up to the maximal possible number of substituents. Typically, 0 to 3 substituents are present.

- 15 In general terms, unless otherwise stated herein, the terms alkyl, alkenyl, alkynyl, alkadienyl as used herein with respect to a radical or moiety refer to a straight or branched chain radical or moiety. As a rule, such radicals have up to 10, in particular up to 6 carbon atoms. Suitably an alkyl moiety has from 1 to 6 carbon atoms, preferably from 1 to 3 carbon atoms. A preferred alkyl moiety is an ethyl or especially a methyl group. Suitably an alkenyl moiety has from 2 to 6 carbon atoms. A preferred alkenyl moiety is allyl or especially a 2-methylallyl group.

- 25 The invention especially relates to compounds of the general formula I in which any alkyl part of the groups R<sup>1</sup> and/or R<sup>2</sup> which may be straight chained or branched, contains up to 10 carbon atoms, preferably up to 9 carbon atoms, more preferably up to 6 carbon atoms, any alkenyl or alkynyl part of the substituents R<sup>1</sup> and/or R<sup>2</sup> contains up to 10 carbon atoms, preferably up to 9 carbon atoms, more preferably up to 6 carbon atoms, and in which each optionally substituted group

independently is substituted by one or more halogen atoms or nitro, cyano, cycloalkyl, preferably C<sub>3-6</sub> cycloalkyl, cycloalkenyl, preferably C<sub>3-6</sub> cycloalkenyl, haloalkyl, preferably C<sub>1-6</sub> haloalkyl, halocycloalkyl, preferably C<sub>3-6</sub> halocycloalkyl, alkoxy, preferably C<sub>1-6</sub> alkoxy, haloalkoxy, preferably C<sub>1-6</sub> haloalkoxy, trialkylsilyl, preferably tri-C<sub>1-4</sub> alkylsilyl, phenyl, halo- or dihalo-phenyl or pyridyl groups. Any alkyl, alkenyl or alkynyl group may be linear or branched. A halogen atom suitably denotes a fluorine, chlorine or bromine atom.

The invention especially relates to compounds of the general formula I, in which R<sup>1</sup> represents a hydrogen atom, a C<sub>1-10</sub> alkyl or a phenyl group, in particular a hydrogen atom or a methyl group.


Included in the scope of the present invention are (R) and (S) isomers and atropisomers of compounds of general formula I, which have a chiral center or in which the substituents L<sup>1</sup> or L<sup>1</sup> and L<sup>2</sup> are different from L<sup>5</sup> or L<sup>5</sup> and L<sup>4</sup>, and the racemates thereof, and salts, N-oxides and acid addition compounds.

Particularly interesting activity has been found in (S)-isomer compounds of general formula I wherein the group -CH(CF<sub>3</sub>)R<sup>1</sup> is chiral.

Another preferred embodiment of the present invention are the compounds of formula I, wherein R<sup>2</sup> represents a hydrogen atom or a C<sub>1-10</sub> alkyl group or a C<sub>3-10</sub> alkenyl group.

Those compounds of formula I in which at least one of R<sup>1</sup> and R<sup>2</sup> represents a hydrogen atom are particularly preferred.

Particularly preferred are compounds of formula I, in which the phenyl group



The compounds according to general formula I are oils, gums, or, predominantly crystalline solid materials. They are superior through their valuable fungicidal properties, in particular their enhanced systemicity and enhanced fungitoxicity against rice diseases and powdery mildews. For example, they can be used in agriculture or related fields for the control of phytopathogenic fungi such as *Alternaria solani*, *Botrytis cinerea*, *Cercospora beticola*, *Cladosporium herbarum*, *Corticium rolfsii*, *Erysiphe graminis*, *Helminthosporium tritici repentis*, *Leptosphaeria nodorum*, *Micronectriella nivalis*, *Monilinia fructigena*, *Mycosphaerella ligulicola*, *Mycosphaerella pinodes*, *Pyricularia grisea f.sp. oryzae*, *Rhizoctonia solani*, *Venturia inaequalis*, *Uncinula necator* and *Sclerotinia sclerotiorum*, in particular for the control of *Uncinula necator*, *Pyricularia grisea f.sp. oryzae* and *Rhizoctonia solani*. The compounds of general formula I according to the invention possess a high fungicidal activity within a wide concentration range and may be used in agriculture without any difficulties.

Moreover, the compounds according to the invention show enhanced residual control of fungi, in particular of grape powdery mildew compared with conventional fungicides.

Good results in terms of control of phytopathogenic fungi are obtained with a compound as defined in formula I wherein:

at least one of  $L^1$  and  $L^5$  represents a halogen atom; and/or

R<sup>1</sup> represents a hydrogen atom or a methyl group.

Especially good results in terms of control of phytopathogenic fungi are obtained by using, for example, the following compounds of formula I:

- 5-chloro-6-(2-chloro-6-fluorophenyl)-7-(2,2,2-trifluoroethylamino)-
- 5 [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-(2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-7-(2,2,2-trifluoroethylamino)-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-(2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-(2,2,2-trifluoroethylamino)-
- 10 [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-methylphenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-
- 25
- 30




- [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)-amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(1-phenylethyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)-amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-methylphenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)-amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)-amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[N,-(2,2,2-trifluoroethyl)-N-(1,2-dimethylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-

- chloro-6-(2,4,6-trifluorophenyl)-7-[N, -(2,2,2-trifluoroethyl)-N-(trimethylsilylmethyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-bromo-5-chlorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-(2,2,2-trifluoroethylamino)-
- 5 [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(4-chlorophenyl)-7-(2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(4-bromophenyl)-7-(2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(4-methoxyphenyl)-7-(2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(4-nitrophenyl)-7-(2,2,2-trifluoroethylamino)-
- 10 [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chloro-6-fluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-fluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-
- 15 [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-
- 20 [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2-chlorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4-difluorophenyl)-7-(2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,4,6-trifluorophenyl)-7-[2-(1,1,1-trifluoro)-3-methylbutylamino]-
- 25 [1,2,4]triazolo[1,5-a]pyrimidine, 5-chloro-6-(2,6-difluoro-4-methoxyphenyl)-7-[2-(1,1,1-trifluoro)propylamino]-[1,2,4]triazolo[1,5-a]pyrimidine.


The present invention further provides a process for the preparation of a compound of formula I as defined above which comprises

- 30 treating a compound of the general formula II



in which

L¹ through L⁵ and Hal are as defined in any one of the preceding claims;  
 with an amine or amide of the general formula III



5


in which

R¹ and R² are as defined hereinbefore,

M represents a hydrogen atom or a free or complexed metal atom, preferably  
 selected from the group consisting of Li, Na, K, Zn and Cu,

10 to produce a compound of formula I

Compounds of formula II are known e.g. from EP 0 550 113 and are  
 conventionally prepared by reacting 3-amino-1,2,4-triazole with 2-phenyl-  
 substituted malonic acid ester of formula IV,



15 wherein R represents alkyl, under alkaline conditions, preferably using high boiling  
 tertiary amines as for example tri-n-butylamine.

The resulting 5,7-dihydroxy-6-phenyltriazolopyrimidines are subsequently  
 treated with a halogenating agent, preferably with a brominating or chlorinating  
 agent, such as phosphorus oxybromide or phosphorus oxychloride, neat or in the  
 20 presence of a solvent. The reaction is suitably carried out at a temperature in the

range from 0 °C to 150 °C, the preferred reaction temperature being from 80 °C to 125 °C.

The reaction between the 5,7-dihalo-6-phenyltriazolopyrimidines of formula II and the amine or amide of formula III is conveniently carried out in the presence of a solvent. Suitable solvents include ethers, such as dioxane, diethyl ether and, especially, tetrahydrofuran, halogenated hydrocarbons such as dichloromethane and aromatic hydrocarbons, for example toluene. The reaction is suitably carried out at a temperature in the range from 0 °C to 70 °C, the preferred reaction temperature being from 10 °C to 35 °C. It is also preferred that the reaction is carried out in the presence of a base. Suitable bases include tertiary amines, such as triethylamine, and inorganic bases, such as potassium carbonate or sodium carbonate. Alternatively, an excess of the compound of formula III may serve as a base.

The compounds according to the invention may also be obtained by reacting a 7-amino-5-halo-6-phenyltriazolopyrimidine with a trifluoroalkanoic acid or a reactive derivative thereof, in particular with trifluoroacetic acid anhydride, in the presence of a base and subsequent reduction of the resulting trifluoroalkanoic amide.

The amines of formula III, wherein M represents a hydrogen atom, are well-known in the literature or commercially available or may be prepared analogously to methods that are known per se. The amides of formula III, wherein M represents a metal atom are, as a rule, obtained from the corresponding amines (M = hydrogen) by reaction with an alkyl lithium compound optionally followed by a transmetallation reaction.

Due to excellent activity, the compounds of formula I may be used in cultivation of all plants where infection by phytopathogenic fungi is not desired, e.g. cereals, solanaceous crops, vegetables, legumes, apples, vine.

The compounds of general formula I have been found to have fungicidal activity. Accordingly, the invention further provides a fungicidal composition which comprises an active ingredient, which is at least one compound of formula I as defined above, and one or more carriers. A method of making such a composition is also provided which comprises bringing a compound of formula I as defined above into association with the carrier(s). Such a composition may contain a single active

ingredient or a mixture of several active ingredients of the present invention. It is also envisaged that different isomers or mixtures of isomers may have different levels or spectra of activity and thus compositions may comprise individual isomers or mixtures of isomers.

- 5           A composition according to the invention preferably contains from 0.5% to 95% by weight (w/w) of active ingredient.

          A carrier in a composition according to the invention is any material with which the active ingredient is formulated to facilitate application to the locus to be treated, which may for example be a plant, seed, soil, or water in which a plant  
10       grows, or to facilitate storage, transport or handling. A carrier may be a solid or a liquid, including material which is normally a gas but which has been compressed to form a liquid.

          The compositions may be manufactured into e.g. emulsion concentrates, solutions, oil in water emulsions, wettable powders, soluble powders, suspension  
15       concentrates, dusts, granules, water dispersible granules, micro-capsules, gels, tablets and other formulation types by well-established procedures. These procedures include intensive mixing and/or milling of the active ingredients with other substances, such as fillers, solvents, solid carriers, surface active compounds (surfactants), and optionally solid and/or liquid auxiliaries and/or adjuvants. The form  
20       of application such as spraying, atomizing, dispersing or pouring may be chosen like the compositions according to the desired objectives and the given circumstances.

          Solvents may be aromatic hydrocarbons, e.g. Solvesso® 200, substituted naphthalenes, phthalic acid esters, such as dibutyl or dioctyl phthalate, aliphatic hydrocarbons, e.g. cyclohexane or paraffins, alcohols and glycols as well as their  
25       ethers and esters, e.g. ethanol, ethyleneglycol mono- and dimethyl ether, ketones such as cyclohexanone, strongly polar solvents such as N-methyl-2-pyrrolidone, or  $\gamma$ -butyrolactone, higher alkyl pyrrolidones, e.g. n-octylpyrrolidone or cyclohexylpyrrolidone, epoxidized plant oil esters, e.g. methylated coconut or soybean oil ester and water. Mixtures of different liquids are often suitable.

30       Solid carriers, which may be used for dusts, wettable powders, water dispersible granules, or granules, may be mineral fillers, such as calcite, talc, kaolin, montmorillonite or attapulgite. The physical properties may be improved by addition of highly dispersed silica gel or polymers. Carriers for granules may be porous

material, e.g. pumice, kaolin, sepiolite, bentonite; non-sorptive carriers may be calcite or sand. Additionally, a multitude of pre-granulated inorganic or organic materials may be used, such as dolomite or crushed plant residues.

Pesticidal compositions are often formulated and transported in a concentrated form which is subsequently diluted by the user before application. The presence of small amounts of a carrier which is a surfactant facilitates this process of dilution. Thus, preferably at least one carrier in a composition according to the invention is a surfactant. For example, the composition may contain at two or more carriers, at least one of which is a surfactant.

Surfactants may be nonionic, anionic, cationic or zwitterionic substances with good dispersing, emulsifying and wetting properties depending on the nature of the compound according to general formula I to be formulated. Surfactants may also mean mixtures of individual surfactants.

The compositions of the invention may for example be formulated as wettable powders, water dispersible granules, dusts, granules, tablets, solutions, emulsifiable concentrates, emulsions, suspension concentrates and aerosols. Wettable powders usually contain 5 to 90% w/w of active ingredient and usually contain in addition to solid inert carrier, 3 to 10% w/w of dispersing and wetting agents and, where necessary, 0 to 10% w/w of stabilizer(s) and/or other additives such as penetrants or stickers. Dusts are usually formulated as a dust concentrate having a similar composition to that of a wettable powder but without a dispersant, and may be diluted in the field with further solid carrier to give a composition usually containing 0.5 to 10% w/w of active ingredient. Water dispersible granules and granules are usually prepared to have a size between 0.15 mm and 2.0 mm and may be manufactured by a variety of techniques. Generally, these types of granules will contain 0.5 to 90% w/w active ingredient and 0 to 20% w/w of additives such as stabilizer, surfactants, slow release modifiers and binding agents. The so-called "dry flowables" consist of relatively small granules having a relatively high concentration of active ingredient. Emulsifiable concentrates usually contain, in addition to a solvent or a mixture of solvents, 1 to 80% w/v active ingredient, 2 to 20% w/v emulsifiers and 0 to 20% w/v of other additives such as stabilizers, penetrants and corrosion inhibitors. Suspension concentrates are usually milled so as to obtain a stable, non-sedimenting flowable product and usually contain 5 to 75% w/v active

ingredient, 0.5 to 15% w/v of dispersing agents, 0.1 to 10% w/v of suspending agents such as protective colloids and thixotropic agents, 0 to 10% w/v of other additives such as defoamers, corrosion inhibitors, stabilizers, penetrants and stickers, and water or an organic liquid in which the active ingredient is substantially insoluble; certain organic solids or inorganic salts may be present dissolved in the formulation to assist in preventing sedimentation and crystalization or as antifreeze agents for water.

Aqueous dispersions and emulsions, for example compositions obtained by diluting the formulated product according to the invention with water, also lie within the scope of the invention.

Of particular interest in enhancing the duration of the protective activity of the compounds of this invention is the use of a carrier which will provide slow release of the pesticidal compounds into the environment of a plant which is to be protected.

The biological activity of the active ingredient can also be increased by including an adjuvant in the spray dilution. An adjuvant is defined here as a substance which can increase the biological activity of an active ingredient but is not itself significantly biologically active. The adjuvant can either be included in the formulation as a coformulant or carrier, or can be added to the spray tank together with the formulation containing the active ingredient.

As a commodity the compositions may preferably be in a concentrated form whereas the end user generally employs diluted compositions. The compositions may be diluted to a concentration down to 0.001% of active ingredient. The doses usually are in the range from 0.01 to 10 kg a.i./ha.

Examples of formulations according to the invention are:

Emulsion Concentrate (EC)

Active Ingredient	Compound of Example 8	30 % (w/v)
Emulsifier(s)	Atlox® 4856 B / Atlox® 4858 B <sup>1)</sup> (mixture containing calcium alkyl aryl sulfonate, fatty alcohol ethoxylates and light aromatics / mixture containing calcium alkyl aryl sulfonate, fatty alcohol ethoxylates and light aromatics)	5 % (w/v)

15

Solvent	Shellsol® A <sup>2)</sup>	to 1000 ml
	(mixture of C <sub>9</sub> - C <sub>10</sub> aromatic hydrocarbons)	

Suspension Concentrate (SC)

Active Ingredient	Compound of Example 8	50 % (w/v)
Dispersing agent	Soprophor® FL <sup>3)</sup>	3 % (w/v)
	(polyoxyethylene polyaryl phenyl ether phosphate amine salt)	
Antifoaming agent	Rhodorsil® 422 <sup>3)</sup>	0.2 %
	(nonionic aqueous emulsion of polydimethylsiloxanes)	(w/v)
Structure agent	Kelzan® S <sup>4)</sup>	0.2 %
	(Xanthan gum)	(w/v)
Antifreezing agent	Propylene glycol	5 % (w/v)
Biocidal agent	Proxel® <sup>5)</sup>	0.1 %
	(aqueous dipropylene glycol solution containing 20% 1,2-benisoctiazolin-3-one)	(w/v)

Water	to 1000 ml
-------	------------

Wettable Powder (WP)

Active Ingredient	Compound of Example 8	60 % (w/w)
Wetting agent	Atlox® 4995 <sup>1)</sup>	2 % (w/w)
	(polyoxyethylene alkyl ether)	
Dispersing agent	Witcosperse® D-60 <sup>6)</sup>	3 % (w/w)
	(mixture of sodium salts of condensed naphthalene sulfonic acid and alkylaryl polyoxy acetates)	
Carrier / Filler	Kaolin	35 % (w/w)



Water Dispersible Granules (WG)

Active Ingredient	Compound of Example 8	50 % (w/w)
Dispersing /	Witcosperse® D-450 <sup>6)</sup>	8 % (w/w)
Binding agent	(mixture of sodium salts of condensed naphthalene sulfonic acid and alkyl sulfonates)	
Wetting agent	Morwet® EFW <sup>6)</sup> (formaldehyde condensation product)	2 % (w/w)
Antifoaming agent	Rhodorsil® EP 6703 <sup>3)</sup> (encapsulated silicone)	1 % (w/w)
Disintegrant	Agrimer® ATF <sup>7)</sup> (cross-linked homopolymer of N-vinyl-2-pyrrolidone)	2 % (w/w)
Carrier / Filler	Kaolin	35 % (w/w)

- 1) commercially available from ICI Surfactants
- 2) commercially available from Deutsche Shell AG
- 3) commercially available from Rhône-Poulenc
- 5 4) commercially available from Kelco Co.
- 5) commercially available from Zeneca
- 6) commercially available from Witco
- 7) commercially available from International Speciality Products

10 The compositions of this invention can also comprise other compounds having biological activity, e.g. compounds having similar or complementary pesticidal activity or compounds having plant growth regulating, fungicidal or insecticidal activity. These mixtures of pesticides can have a broader spectrum of activity than the compound of general formula I alone. Furthermore, the other  
 15 pesticide can have a synergistic effect on the pesticidal activity of the compound of general formula I.

The other fungicidal compound can be, for example, one which is also capable of combating diseases of cereals (e.g. wheat) such as those caused by

*Erysipha*, *Puccinia*, *Septoria*, *Gibberella* and *Helminthosporium* spp., seed and soil borne diseases and downy and powdery mildews on vines, early and late blight on solanaceous crops, and powdery mildew and scab on apples etc. These mixtures of fungicides can have a broader spectrum of activity than the compound of general formula I alone. Furthermore, the other fungicide can have a synergistic effect on the fungicidal activities of the compound of general formula I.

Examples of the other fungicidal compounds are anilazine, azoxystrobin, benalaxyl, benomyl, bethoxazin, binapacryl, bitertanol, blasticidin S, Bordeaux mixture, bromuconazole, bupirimate, captafol, captan, carbendazim, carboxin, carpropamid, chlorbenzthiazon, chlorothalonil, chlozolate, copper-containing compounds such as copper oxychloride, and copper sulfate, cycloheximide, cymoxanil, cypofuram, cyproconazole, cyprodinil, dichlofluanid, dichlone, dichloran, diclobutrazol, diclocymet, diclomezine, diethofencarb, difenoconazole, diflumetorim, dimethirimol, dimethomorph, diniconazole, dinocap, ditalimfos, dithianon, dodemorph, dodine, edifenphos, epoxiconazole, etaconazole, ethirimol, etridiazole, famoxadone, fenapanil, fenarimol, fenbuconazole, fenfuram, fenhexamid, fenpiclonil, fenpropidin, fenpropimorph, fentin, fentin acetate, fentin hydroxide, ferimzone, fluazinam, fludioxonil, flumetover, fluquinconazole, flusilazole, flusulfamide, flutolanil, flutriafol, folpet, fosetyl-aluminium, fuberidazole, furalaxyl, furametpyr, guazatine, hexaconazole, imazalil, iminoctadine, ipconazole, iprodione, isoprothiolane, kasugamycin, kitazin P, kresoxim-methyl, mancozeb, maneb, mepanipyrim, mepronil, metalaxyl, metconazole, methfuroxam, myclobutanil, neoasozin, nickel dimethyldithiocarbamate, nitrothalisopropyl, nuarimol, ofurace, organo mercury compounds, oxadixyl, oxycarboxin, penconazole, pencycuron, phenazineoxide, phthalide, polyoxin D, polyram, probenazole, prochloraz, procymidione, propamocarb, propiconazole, propineb, pyrazophos, pyrifenoxy, pyrimethanil, pyroquilon, pyroxyfur, quinomethionate, quinoxifen, quintozone, spiroxamine, SSF-126, SSF-129, streptomycin, sulfur, tebuconazole, tecloftalame, tecnazene, tetraconazole, thiabendazole, thifluzamide, thiophanate-methyl, thiram, tolclofosmethyl, tolylfluanid, triadimefon, triadimenol, triazbutyl, triazoxide, tricyclazole, tridemorph, triflumizole, triforine, triticonazole, validamycin A, vinclozolin, XRD-563, zarilamid, zineb, ziram

In addition, the co-formulations according to the invention may contain at least one compound of formula I and any of the following classes of biological control agents such as viruses, bacteria, nematodes, fungi, and other microorganisms which are suitable to control insects, weeds or plant diseases or to induce host resistance in the plants. Examples of such biological control agents are: *Bacillus thuringiensis*, *Verticillium lecanii*, *Autographica californica* NPV, *Beauveria bassiana*, *Ampelomyces quisqualis*, *Bacillus subtilis*, *Pseudomonas chlororaphis*, *Pseudomonas fluorescens*, *Streptomyces griseoviridis* and *Trichoderma harzianum*.

Moreover, the co-formulations according to the invention may contain at least one compound of formula I and a chemical agent that induces the systemic acquired resistance in plants such as for example nicotinic acid or derivatives thereof or BION.

The compounds of general formula I can be mixed with soil, peat or other rooting media for the protection of the plants against seed-borne, soil-borne or foliar fungal diseases.

The invention still further provides the use as a fungicide of a compound of the general formula I as defined above or a composition as defined above, and a method for combating fungus at a locus, which comprises treating the locus, which may be for example plants subject to or subjected to fungal attack, seeds of such plants or the medium in which such plants are growing or are to be grown, with such a compound or composition.

The present invention is of wide applicability in the protection of crop and ornamental plants against fungal attack. Typical crops which may be protected include vines, grain crops such as wheat and barley, rice, sugar beet, top fruit, peanuts, potatoes, vegetables and tomatoes. The duration of the protection is normally dependent on the individual compound selected, and also a variety of external factors, such as climate, whose impact is normally mitigated by the use of a suitable formulation.

The following examples further illustrate the present invention. It should be understood, however, that the invention is not limited solely to the particular examples given below.


**Example 1**

5-Chloro-6-(2-chloro-6-fluorophenyl)-7-N-(2,2,2-trifluoroethylamino)-1,2,4-triazolo[1.5a]pyrimidine

- A mixture of 2,2,2-trifluoroethylamine (4.2 mmoles) and dichloromethane (10 ml) is added to a mixture of 5,7-dichloro-6-(2-chloro-6-fluorophenyl)-1,2,4-triazolo[1.5a]pyrimidine (1.4 mmoles) and dichloromethane (30 ml) under stirring. The reaction mixture is stirred 16 hours at room temperature, subsequently washed two times with 1 N hydrochloric acid and once with water. The organic layer is separated, dried with anhydrous sodium sulfate and the solvent is evaporated under reduced pressure. Treatment of the resulting light brown oil with *tert.*-butyl methyl ether (50 ml) yields beige crystals having a melting point of 194-197 °C.

**Examples 2-69**

- 15 The following examples (Table I; structure and melting point) are synthesized analogously to Example 1.




Exam ple	R <sup>1</sup>	R <sup>2</sup>	L <sup>1</sup>	L <sup>2</sup>	L <sup>3</sup>	L <sup>4</sup>	L <sup>5</sup>	melting point (° C)
2	H	H	Cl	H	H	H	H	165
3	H	H	F	H	F	H	F	195
4	H	H	F	H	H	H	H	180
5	H	H	F	H	H	H	F	137
6	CH <sub>3</sub>	H	Cl	H	H	H	F	165-176
7	CH <sub>3</sub>	H	F	H	H	H	F	166-167
8	CH <sub>3</sub>	H	F	H	F	H	F	184-185
9	CH <sub>3</sub>	H	CH <sub>3</sub>	H	H	H	H	149-151
10	CH <sub>3</sub>	H	F	H	H	H	H	128-130
11	CH <sub>3</sub>	H	Cl	H	H	H	H	129-130
12	H	allyl	F	H	F	H	F	104-105
13	H	allyl	Cl	H	H	H	F	145-146
14	H	allyl	F	H	H	H	H	128
15	H	allyl	F	H	H	H	F	109-111
16	H	allyl	Cl	H	H	H	H	129-130
17	H	allyl	CH <sub>3</sub>	H	H	H	H	123-130
18	H	ethyl	F	H	H	H	H	136-139
19	H	ethyl	F	H	H	H	F	164-166
20	H	ethyl	F	H	F	H	F	133-134
21	H	ethyl	Cl	H	H	H	F	199-202
22	H	ethyl	Cl	H	H	H	H	150-158
23	H	ethyl	CH <sub>3</sub>	H	H	H	H	174-178
24	H	2-methylpropyl	Cl	H	H	H	F	175
25	H	2-methylpropyl	F	H	H	H	F	154-155
26	H	2-methylpropyl	F	H	H	H	H	144
27	H	2-methylpropyl	F	H	F	H	F	133-134
28	H	2-methylpropyl	CH <sub>3</sub>	H	H	H	H	154-155
29	H	methyl	F	H	H	H	H	142-143
30	H	methyl	F	H	H	H	F	175-177
31	H	methyl	F	H	F	H	F	163
32	H	methyl	F	H	H	H	Cl	178-180
33	H	methyl	CH <sub>3</sub>	H	H	H	H	147-149

33350-00

ABSTRACT OF THE INVENTION

The novel compounds of formula I:



wherein

( $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{Hal}$  and  $\text{L}^1$  through  $\text{L}^5$  are defined in the specification) show selective fungicidal activity. The new compounds are processed with carriers and adjuvants to fungicidal compositions.

34	H	isopropyl	F	H	H	H	F	147-150
35	H	isopropyl	F	H	H	H	Cl	178-183
36	H	isopropyl	F	H	F	H	F	154-158
37	H	isopropyl	F	H	H	H	H	167-170
38	H	1-phenylethyl	F	H	H	H	H	oil
39	H	2,2,2-trifluoroethyl	Cl	H	H	H	H	212-213
40	H	2,2,2-trifluoroethyl	CH <sub>3</sub>	H	H	H	H	223-226
41	H	2,2,2-trifluoroethyl	F	H	H	H	H	185-186
42	H	2,2,2-trifluoroethyl	F	H	H	H	Cl	234-237
43	H	2,2,2-trifluoroethyl	F	H	H	H	F	208-210
44	H	2,2,2-trifluoroethyl	F	H	F	H	F	177-179
45	H	1,2-dimethylpropyl	F	H	H	H	F	154-158
46	H	trimethylsilylmethyl	F	H	F	H	F	85
47	CH <sub>3</sub>	methyl	Br	H	H	Cl	H	160-169
48	H	H	H	H	Cl	H	H	170
49	H	H	H	H	Br	H	H	176-177
50	H	H	H	H	OCH <sub>3</sub>	H	H	183-185
51	H	H	H	H	NO <sub>2</sub>	H	H	237
52	C <sub>6</sub> H <sub>5</sub>	H	F	H	H	H	H	114
53	C <sub>2</sub> H <sub>5</sub>	H	F	H	H	H	Cl	162
54	C <sub>6</sub> H <sub>5</sub>	H	F	H	H	H	Cl	108
55	C <sub>2</sub> H <sub>5</sub>	H	F	H	H	H	H	133
56	C <sub>6</sub> H <sub>5</sub>	H	F	H	H	H	F	148
57	C <sub>6</sub> H <sub>5</sub>	H	F	H	F	H	F	86
58	C <sub>2</sub> H <sub>5</sub>	H	F	H	F	H	F	177
59	C <sub>2</sub> H <sub>5</sub>	H	F	H	F	H	F	171
60	C <sub>2</sub> H <sub>5</sub>	H	Cl	H	H	H	H	oil
61	C <sub>6</sub> H <sub>5</sub>	H	Cl	H	H	H	H	oil
62	H	H	F	H	F	H	H	181
63	i-C <sub>3</sub> H <sub>7</sub>	H	F	H	F	H	F	104
64	H	H	F	H	OCH <sub>3</sub>	H	F	oil
65	H	H	F	H	H	H	Br	187
66	CH <sub>3</sub>	H	F	H	H	H	Br	184-185
67	H	H	F	F	H	H	F	183
68	CH <sub>3</sub>	H	F	F	H	H	F	149

69	H	H	F	F	F	F	F	oil
----	---	---	---	---	---	---	---	-----

### Biological Investigations

#### A. Determination of Minimum Inhibitory Concentration by Test Compounds in the Serial Dilution Test with Various Phytopathogenic Fungi

- 5 The MIC (Minimum Inhibitory Concentration) value, which indicates the lowest concentration of the active ingredient in the growth medium which causes a total inhibition of mycelial growth, is determined by serial dilution tests using Microtiter plates with 24 or 48 wells per plate. The dilution of the test compounds in the nutrient solution and the distribution to the wells is carried out by a TECAN
- 10 RSP 5000 Robotic Sample Processor. The following test compound concentrations are used: 0.05, 0.10, 0.20, 0.39, 0.78, 1.56, 3.13, 6.25, 12.50, 25.00, 50.00 and 100.00 mg/ml. For preparation of the nutrient solution, V8 vegetable juice (333 ml) is mixed with calcium carbonate (4.95 g), centrifuged, the supernatant (200 ml) diluted with water (800 ml) and autoclaved at 121 °C for 30 min.
- 15 The respective inocula (*Alternaria solani*, ALTESO; *Botrytis cinerea*, BOTRCI; *Leptosphaeria nodorum*, LEPTNO; *Phytophthora infestans*, PHYTIN; *Magnaporthe grisea f. sp. oryzae*, PYRIOR; *Pyrenophora teres*, PYRNTE; *Rhizoctonia solani*, RHIZSO;) are added into the wells as spore suspensions (50 ml;  $5 \times 10^5$ /ml) or agar slices (6 mm) of an agar culture of the fungus.
- 20 After 6-12 days incubation at suitable temperatures (18-25°C), the MIC values are determined by visual inspection of the plates (Table II; n. t. = not tested).



PCT/US 98 / 05 6 15

RO/US 11 MAY 1998

23  
Table II

Ex. No.	ALTESO	BOTRCI	LEPTNO	PHYTIN	PYRIOR	PYRNTE	RHISZO
1	3.13	1.56	6.25	12.5	0.78	6.25	6.25
2	12.5	6.25	50	12.5	0.78	12.5	25
3	1.56	1.56	6.25	25	0.2	6.25	6.25
6	3.13	12.5	25	> 100	3.13	25	6.25
7	1.56	25	50	> 100	0.78	12.5	6.25
8	0.78	3.13	3.13	> 100	0.78	6.25	3.13
9	25	25	12.5	> 100	3.13	> 100	12.5
10	6.25	> 100	50	25	1.56	> 100	12.5
11	3.13	6.25	25	100	0.39	6.25	6.25
12	0.39	0.78	3.13	> 100	0.04	3.13	0.78
13	3.13	3.13	> 100	> 100	0.1	> 100	1.56
15	1.56	1.56	6.25	> 100	0.04	6.25	1.56
16	1.56	6.25	12.5	> 100	0.39	50	50
19	0.78	1.56	> 100	> 100	0.04	> 100	0.78
20	0.78	0.78	3.13	> 100	0.04	1.56	0.78
27	0.2	0.2	0.39	> 100	0.04	> 100	3.13
30	3.13	12.5	> 100	> 100	0.78	25	> 100
31	0.78	3.13	50	> 100	0.1	12.5	1.56
46	0.78	6.25	> 100	25	1.56	25	> 100
47	12.5	12.5	25	> 100	1.56	> 100	50
49	12.5	25	50	100	0.78	25	50
53	6.25	12.5	> 100	> 100	1.56	> 100	> 100
55	3.13	12.5	50	> 100	1.56	> 100	> 100
56	3.13	12.5	> 100	> 100	1.56	3.13	> 100
57	50	> 100	> 100	> 100	0.78	100	> 100
59	6.25	12.5	25	> 100	0.39	> 100	6.25
60	3.13	25	25	25	1.56	25	25
61	0.39	1.56	1.56	100	0.04	6.25	12.5

Ex. No.	ALTESO	BOTRCI	LEPTNO	PHYTIN	PYRIOR	PYRNTE	RHISZO
standard *	12.5	12.5	100	> 100	50	50	100

- \* 5-Chloro-6-(2-chlorophenyl)-7-N-ethylamino-1,2,4-triazolo[1.5a]pyrimidine has been used as standard; this compound corresponds to the compound of example 2, in which the 7-(2,2,2-trifluoroethyl)amino group has been replaced by an ordinary 7-ethylamino group.

B. Determination of residual control of grape powdery mildew on vine leaves  
Method for Evaluation of the compounds of formula I to control powdery mildew on grapes (*Uncinula necator*)

10 Test plants

Cuttings of cultivar Müller-Thurgau were grown in the greenhouse at temperatures between 18 °C and 25 °C and 50 to 70 % relative humidity. When 6 to 8 leaves had developed the plants were cut back to 3 - 4 equally sized leaves. Plants were cultivated in pots containing FLORAGAD as a substrate.

15 Application

Three to four plants per treatment were used. Application of the compounds of formula I was carried out 3 days before infection in the prophylactic tests. The test plants were sprayed to run off in a spray cabinet using 20 ml of spray wash. The compounds of formula I were dissolved in acetone at a concentration of 0.5 %.

- 20 The stock solution was diluted with water to give the final concentrations.

Formulated fungicides were also diluted with water prior to application.

Infection

- The plants were artificially infected with conidia of *Uncinula necator* by dusting spores from freshly sporulating grape leaves from the *Uncinula necator* stock culture over the test plants. The spores were allowed to settle on the leaves for 1 hour. The plants remained in the greenhouse without additional light at temperatures between 16 °C and 30 °C for 24 hours.

Evaluation

- Evaluation was carried out 21 days after infection by assessing the percentage of infected leaf area of each of the 4 treated leaves. The activity in % was calculated using the ABBOTT formula:

PCT/US 98 / 0561!  
RO/US 11 MAY 1998

$$\% \text{ activity} = 100 - \frac{25 \times \% \text{ infection in treated}}{\% \text{ infection in untreated}} \times 100$$

The results of this evaluation are shown in Table III:

Table III *Uncinula necator* on Vines

Example No.	Rate (ppm a.i.)	Efficacy (%)
3	25	100
	12.5	100
	6.25	100
	3.13	91
2	25	38
	12.5	19
	6.25	5
	3.13	0
8	25	100
	12.5	100
	6.25	100
	3.13	97
standard *	25	5
	12.5	11
	6.25	2
	3.13	0

- 5 \* The same compound as in the investigations regarding the MIC values has been used as standard.

#### C. Foliar Systemicity

C-1: Grape variety Müller-Thurgau

10 PATHOGEN: *Uncinula necator*

#### TEST PROCEDURE:

1. Grape cuttings are grown in 8 cm diameter plastic in the greenhouse.
2. Formulated compounds are applied to a young fully expanded leaf in a transverse band using an airbrush with a 0.5 mm circular nozzle at an air

pressure of 500 mbar. The band is sprayed onto the lower leaf surface, perpendicular to the leaf axis using a cardboard mask with a 5-mm wide slit. The location of the band is marked on the upper leaf surface using a permanent marker and is typically 4 cm from the leaf apex. After application, the plants are not moved until the bands are dry.

3. After treated plants have dried, they are moved to the greenhouse and kept there for 2 days to allow for movement of the compounds. The plants are maintained with bottom watering.
4. Two days after application, the grape plants are inoculated by dusting them with powdery mildew conidia in the greenhouse. Sporulating diseased leaves from stock culture plants are brushed with a brush in the air over the test plants so that the conidia can settle onto the upper leaf surfaces of the test plants. Evaluations are made 12 - 14 days after inoculation.

15 C-2                      Wheat Powdery Mildew (WPM):

HOST:                      Wheat (*Triticum aestivum* L.) variety Kanzler

PATHOGEN:              *Erysiphe graminis* DC. f.sp. *tritici* E. Marchal

TEST PROCEDURE:

1. Wheat seed (8/pot) is planted in 8 cm diameter plastic pots in the greenhouse.
- 20 2. When the primary leaf is fully expanded, the plants are cut back to four in each pot of which two are marked with a permanent marker 5 cm below the leaf tip on the upper leaf surface. Thus there are two band-treated and two untreated plants in each pot.
3. A pipette is used to apply 5 µl of the formulated compound in a band on the lower leaf surface opposite the mark. The application band should cover the whole leaf width. After application, the plants are not moved until the bands are dry (half an hour or so later).
- 25 4. After treated plants have dried, they are moved to the greenhouse and kept there for 2 days to allow for movement of the compounds. The plants are maintained with bottom watering.
- 30 5. Two days after application, the plants are inoculated by dusting them with powdery mildew conidia in the greenhouse. Evaluations are made 7 - 8 days

after inoculation. Alternatively, plants are inoculated with Puccinia recondita (wheat leaf rust pathogen) and evaluations made 7 - 8 days thereafter.

#### Evaluation

Three types of compound movement are assessed by evaluating disease in three areas of each band-treated leaf.

Translaminar movement: The percent disease area is assessed for the translaminar band area (marked area of the upper leaf surface directly opposite where band was applied on the lower leaf surface; width of band approximately 5 mm). Translaminar disease control is then calculated using the following formula:

$$\% \text{ disease control} = 100 - \frac{\% \text{ disease in treated plants}}{\% \text{ disease in untreated plants}} \times 100$$

Distal movement and proximal movement: The distal and proximal disease-free zones on the upper leaf surface are measured in mm. The distal direction is from the band toward the leaf apex and the proximal direction is from the band toward the leaf base. The percent of the disease-free zone relative to the entire distance between the band and leaf apex or base is calculated (for Grape 40 mm equals 100%). If disease is noticeably lighter in the distal or proximal area this is also noted.

#### FORMULATION AND CONTROLS:

1. The compounds are formulated in a solvent/surfactant system consisting of 5% acetone and 0.05% Tween 20 in deionized water. Compounds are dissolved in acetone prior to dilution with Tween water. Formulated compounds are prepared using deionized water. Compounds are typically tested at 400 ppm.

2. Three kinds of controls are included:

Plants band-treated with the solvent/surfactant solution and inoculated (Solvent Blank).

Untreated plants which are inoculated (Inoculated Control).

The results of this evaluation are shown in Table IV, in which the diseases have been abbreviated as follows:

Wheat powdery mildew	WPM
Grape powdery mildew	GPM
Wheat leaf rust	WLR

Table IV *Foliar Systemicity*


Ex. No.	Disease	Proximal Movement (mm from band)	Distal Movement (mm from band)	Translaminar Activity ( % )
1	WPM	3	43	100
	GPM	6	50	100
	WLR	5	48	100
2	GPM	8	36	100
	WLR	4	21	100
3	GPM	7	50	100
	WLR	4	23	100
4	GPM	7	32	100
	WLR	3	6	100
Standard <sup>2</sup>	GPM	2	6	100
	WLR	4	8	100

- 5 5-chloro-7-(4-methylpiperidin-1-yl)-6-(2-chloro-6-fluorophenyl)-  
[1,2,4]triazolo[1,5-a]pyrimidine which is disclosed in US patent no. 5,593,996 has  
been used as standard<sup>2</sup>.

33350

What is claimed is:

1. A compound of the general formula I



in which

R<sup>1</sup> and R<sup>2</sup> each independently represent a hydrogen atom or an optionally substituted alkyl, alkenyl, alkynyl, alkadienyl or phenyl group,

Hal represents a halogen atom

L<sup>1</sup> through L<sup>5</sup> each independently represent an hydrogen or halogen atom or an alkyl, alkoxy or nitro group.

2. A compound according to Claim 1 in which at least one of L<sup>1</sup> and L<sup>5</sup> represents a halogen atom.

3. A compound according to Claim 1 or 2 in which R<sup>1</sup> represents hydrogen atom or a methyl group.

4. A compound according to any of the preceding Claims in which R<sup>2</sup> represents a hydrogen or a C<sub>1-10</sub> alkyl group.

5. A compound according to any of the preceding Claims in which at least one of R<sup>1</sup> and R<sup>2</sup> represents a hydrogen atom.

6. The following compounds of formula I:

5-chloro-6-(2-chloro-6-fluorophenyl)-7-(2,2,2-trifluoroethylamino)-  
 [1,2,4]triazolo[1,5-a]pyrimidine

5-chloro-6-(2,6-difluorophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-7-(2,2,2-trifluoroethylamino)-6-(2,4,6-trifluorophenyl)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-methylphenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-allylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine



5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-ethylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-  
methylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)-amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-  
methylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(2-methylpropyl)-amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-methylphenyl)-7-[N-(2,2,2-trifluoroethyl)-N-methylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine

5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-isopropylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[N-(2,2,2-trifluoroethyl)-N-(1-phenylethyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-methylphenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[N,N-di-(2,2,2-trifluoroethyl)amino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[N, -(2,2,2-trifluoroethyl)-N-(1,2-  
dimethylpropyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[N, -(2,2,2-trifluoroethyl)-N-  
(trimethylsilylmethyl)amino]-[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-bromo-5-chlorophenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(4-chlorophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(4-bromophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine


11 MAY 1998

5-chloro-6-(4-methoxyphenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(4-nitrophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chloro-6-fluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-fluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-[2-(1,1,1-trifluoro)butylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2-chlorophenyl)-7-(1-phenyl-2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4-difluorophenyl)-7-(2,2,2-trifluoroethylamino)-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,4,6-trifluorophenyl)-7-[2-(1,1,1-trifluoro)-3-methylbutylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine  
5-chloro-6-(2,6-difluoro-4-methoxyphenyl)-7-[2-(1,1,1-trifluoro)propylamino]-  
[1,2,4]triazolo[1,5-a]pyrimidine.

7. A process for the preparation of a compound of formula I as defined in any one of the preceding claims which comprises

34


treating a compound of the general formula II



in which

L¹ through L⁵ and Hal are as defined in any one of the preceding claims;

with an amine of the general formula III



in which

R¹ and R² are as defined in any one of the preceding claims,

M represents a hydrogen atom or a free or complexed metal atom,

to produce a compound of formula I.

8. A fungicidal composition which comprises a carrier, and as active agent, at least one compound of formula I as defined in any one of Claims 1 to 6.

9. A method of combating fungus at a locus which comprises treating the locus with a compound of formula I as defined in any one of Claims 1 to 6 or with a composition as defined in Claim 8.

10. The use as a fungicide of a compound of formula I as defined in any one of Claims 1 to 6 or a composition as defined in Claim 8.